

**RECEIVED
CENTRAL FAX CENTER**

JAN 25 2005

***** FACSIMILE COVER SHEET *****

JAN-25-2005 09:43

Message To:

87038729306

Message From:

HMVP LLP

3019832100

14

Page(s)

Following This Cover Page

HALL, MYERS, VANDE SANDE & PEQUIGNOT, LLP

ATTORNEYS AT LAW

GEOFFREY R. MYERS
THOMAS J. VANDE SANDE
MATTHEW A. PEQUIGNOT
DENNIS A. FOSTER

10220 RIVER ROAD, SUITE 200
POTOMAC, MARYLAND 20854
TELEPHONE: (301) 983-2500
FACSIMILE: (301) 983-2100

Patent, Trademark
and Copyright Law
and Litigation

OF COUNSEL
WILLIAM D. HALL

TELEFAX TRANSMITTAL SHEET

RECEIVED
CENTRAL FAX CENTER

JAN 25 2005

TO: Examiner Craig Curtis, Art Unit: 2872

FIRM: U.S. Patent Office

FAX/SPEED NUMBER: (703) 872-9306
~~(571) 273-2311~~

FROM: Geoffrey R. Myers, Esquire

RE: USSN 09/901,580 for Wills, et al.

NUMBER OF PAGES: 14 (includes cover sheet)

OPERATOR: Karen Ng

DATE: 1/18/05
1/25/05 TIME: 2:39
9:45

IF YOU DID NOT RECEIVE ALL THE PAGES, PLEASE CALL BACK AS SOON AS POSSIBLE.

TELECOPY OPERATOR NUMBER: (301) 983-2500
DIRECT LINE TO FAX MACHINE: (301) 983-2100

MESSAGE:

The information contained in this facsimile is attorney privileged and confidential information intended only for the use of the individual or entity named above. If the reader of this facsimile is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, you are hereby notified that any dissemination or copying of this facsimile is strictly prohibited. If you have received this facsimile in error, please notify us immediately by telephone.

RECEIVED
CENTRAL FAX CENTER

JAN 25 2005

PATENT
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of :
:
WILLS, et al. : Group Art Unit: 2872
:
Serial No.: 09/901,580 : Examiner: Craig Curtis
:
Filed: July 11, 2001 : Atty. Dkt. No.: 2500.370
:
For: ISOLATED POLARIZATION BEAM:
SPLITTER AND COMBINER

Commissioner of Patents
and Trademarks
Washington, D.C. 20231

AMENDMENT

Sir:

This is in response to the Non-Final Official Action dated
November 3, 2004. Please amend the application as follows: